




What can MariaDB developers learn from Debian and Ubuntu Quality Assurance systems?

June 27th 2018
Developer Unconference, Finland



packages.debian.org
packages.ubuntu.com



You have searched for packages that names contain *mariadb* in all suites, all sections, and all architectures. Found 67 matching packages.

Package libmariadb-client-igpl-dev


- jessie (oldstable)** (libdevel): MariaDB Client Library for C, development files
2.0.0-1: amd64 arm64 armel armhf i386 mips mipsel powerpc ppc64el s390x
- stretch (stable)**: Virtual package
provided by: [libmariadb-dev](#)
- buster (testing)**: Virtual package
provided by: [libmariadb-dev](#)
- sid (unstable)** (libdevel): MariaDB Client Library for C, development files
2.0.0-1 [debports]: arm64
also provided by: [libmariadb-dev](#)

Package libmariadb-client-igpl-dev-compat

- jessie (oldstable)** (libdevel): MariaDB Client Library for C, compatibility symlinks
2.0.0-1: amd64 arm64 armel armhf i386 mips mipsel powerpc ppc64el s390x
- stretch (stable)**: Virtual package
provided by: [libmariadb-dev-compat](#)
- buster (testing)**: Virtual package
provided by: [libmariadb-dev-compat](#)
- sid (unstable)** (libdevel): MariaDB Client Library for C, compatibility symlinks
2.0.0-1 [debports]: arm64
also provided by: [libmariadb-dev-compat](#)

Package libmariadb-dev


- stretch (stable)** (libdevel): MariaDB Connector/C, development files
2.3.2-2: amd64 arm64 armel armhf i386 mips mips64el mipsel ppc64el s390x
- buster (testing)** (libdevel): MariaDB Connector/C, development files
2.3.3-1: amd64 arm64 armel armhf i386 mips mips64el mipsel ppc64el s390x





Source packages: salsa.debian.org

- mariadb-10.1
- mariadb-10.0
- mariadb-5.5
- mariadb-connector-c
- galera-3





Linux distributions love stability, standards and quality!

Debian Policy Manual [debian.org/doc/debian-policy/](https://www.debian.org/doc/debian-policy/) (150 pages if printed)

Developers' manuals

- [Debian Policy Manual](#)
- [Debian Developer's Reference](#)
- [Guide for Debian Maintainers](#)
- [Debian New Maintainers' Guide](#)
- [Introduction to Debian packaging](#)
- [Debian Menu System](#)
- [Introduction to i18n](#)
- [Debian Installer internals](#)
- [Guide for database using package maintainers](#)
- [Policy for packages using databases](#)



MariaDB release flow in Debian

```
File Edit View Help
mariadb-10.1: All files - gitk

upstream/10.1.31 New upstream version 1
upstream/10.1.30 remotes/aliOTH upstream remotes/q
upstream/10.1.29 New upstream version 10.1.29
upstream/10.1.28 New upstream version 10.1.28
upstream/10.1.26 New upstream version 10.1.26
upstream/10.1.25 New upstream version 10.1.25
upstream/10.1.24 New upstream version 10.1.24
upstream/10.1.23 New upstream version 10.1.23

SHA1 ID: 5a2d98539a360c6ee6d106b16964451cd0dca81e Row 1 / 31

Find commit containing: Exact All fields

Search
Diff Old version New version Lines of context:
Author: Otto Kekäläinen <otto@debian.org> 2018-02-27
Committer: Otto Kekäläinen <otto@debian.org> 2018-02-27
Tags: upstream/10.1.31
Parent: de111ba604a2786cc7bd14047ccfbda23edc3840 (New)
Branches: ubuntu-17.10, upstream
Follows: upstream/10.1.30
Precedes:

New upstream version 10.1.31

----- CMakeLists.txt -----
index a38654956a..b4de70a283 100644
@@ -56,9 +56,9 @@ ENDIF()
SET(CMAKE_BUILD_TYPE "RelWithDebInfo" CACHE STRING
    "Choose the type of build, options are: None(CMAKE_
-# MAX_INDEXES - Set the maximum number of indexes per
+# MAX_INDEXES - Set the maximum number of indexes per
IF (NOT MAX_INDEXES)
- SET(MAX_INDEXES 64U)
+ SET(MAX_INDEXES 64)
ENDIF(NOT MAX_INDEXES)

IF (${MAX_INDEXES} GREATER 128)

----- CREDITS -----
index 6288c2cdea..7572f6f5dd 100644
@@ -3,8 +3,9 @@ organization registered in the USA.

The current main sponsors of the MariaDB Foundation are:

-Alibaba Cloud https://intl.aliyun.cc
+Alibaba Cloud https://www.alibabacloud.com
Booking.com https://www.booking.com (2013)
+Microsoft https://microsoft.com/ (2017)
Tencent Cloud https://cloud.tencent.com (2017)
Development Bank of Singapore https://dbs.com (2016)
IBM https://www.ibm.com (2017)

----- Docs/INFO_SRC -----
index 3dcba9a5dc7..bd70a3ac3c 100644
CMakeLists.txt
CMakeLists.txt
CREDITS
Docs/INFO_SRC
VERSION
client/mysql.cc
client/mysqltest.cc
cmake/build_configurations/mysql_release.cmake
config.h.cmake
configure.cmake
extra/mariabackup/xtrabackup.cc
include/ma_dyncol.h
include/my_compare.h
include/my_global.h
include/my_valgrind.h
include/welcome_copyright_notice.h
libmysql/CMakeLists.txt
man/mysqldadmin.1
mysql-test/CMakeLists.txt
mysql-test/include/truncate_file.inc
mysql-test/lib/My/SafeProcess.pm
mysql-test/mysql-test-run.pl
mysql-test/r/contributors.result
mysql-test/r/create.result
mysql-test/r/derived.result
mysql-test/r/dyncol.result
mysql-test/r/fulltext.result
mysql-test/r/func_concat.result
mysql-test/r/func_isnull.result
mysql-test/r/join_cache.result
mysql-test/r/mdev_14586.result
mysql-test/r/merge.result
mysql-test/r/mysam_optimize.result
mysql-test/r/mysqldump-nl.result
mysql-test/r/order_by.result
mysql-test/r/partition.result
mysql-test/r/partition_windows.result
mysql-test/r/ps.result
mysql-test/r/ps_debug.result
```

- Use uscan to check for new upstream releases
- Download upstream tarball and import it into Debian packaging git repository
 - e.g mariadb-10.3.7.tar.gz



MariaDB release flow in Debian

- Build, **test**, fix, repeat
- Release initial revision
 - 10.3.7-1
- Fix bugs and release new revision
 - 10.3.7-2

```
SHA1 ID: d1ea1de1c245e1e60ddf6b8e18a7c924ab9b2a52 | Row 162 / 749 | commit containing:

Search

Diff Old version New version Lines of context: 3 Ignore space changes
Author: Otto Kekäläinen <otto@debian.org> 2017-01-24 11:02:30
Committer: Otto Kekäläinen <otto@debian.org> 2017-01-24 21:20:05
Parent: 8b229fc8100fcb0698b403dbc5a293a66fcfcac (Run chown much faster on the d
Child: 1db2163d366cdc5fb38cc5978bf454aba16bd0a1 (Skip mysqld stopping if no mys
Branches: master, remotes/aliath/master, remotes/github/master,
remotes/launchpad-otto/master, remotes/origin/master and many more (29)
Follows: debian/10.1.21-1
Precedes: debian/10.1.21-2

Check if /var/lib/mysql exists before running 'find' on it


This fixes the following error:

find: '/var/lib/mysql': No such file or directory
dpkg: error processing package mariadb-server-10.1 (--purge):
 subprocess installed post-removal script returned error exit status 1
Errors were encountered while processing:
 mariadb-server-10.1

----- debian/mariadb-server-10.1.postrm -----
index e5cc32ec7a..29ffba2b2a 100644
@@ -60,13 +60,19 @@ if [ "$1" = "purge" -a ! \( -x /usr/sbin/mysqld -o -L /usr/s
# directory with file system data. See #829491 for details and
# #608938 for potential mysql-server leftovers which erroneously
# had been renamed.
- find /var/lib/mysql -mindepth 1 \
- -not -path '/lost+found/*' -not -name 'lost+found' \
- -not -path '/lost@002bfound/*' -not -name 'lost@002bfound' \
- -delete
-
- # "[| true" still needed as rmdir still exits with non-zero if
- # /var/lib/mysql is a mount point
- rmdir --ignore-fail-on-non-empty /var/lib/mysql || true
+ # Attempt removal only if the directory hasn't already been removed
+ # by dpkg to avoid failing on "No such file or directory" errors.
```



Debian release: unstable → testing → stable





tracker.debian.org



mariadb-connector-c

[Profile](#) | [Log out](#)

general

source: [mariadb-connector-c](#) (main)

version: 1:3.0.3-2

maintainer: [Debian MySQL Maintainers](#) (archive) [DMD]

uploaders: [Daniel Schepler](#) [DMD] – [Otto Kekäläinen](#) [DMD]

arch: any

std-ver: 4.1.4

VCS: [Git](#) (Browse, QA, changelog_distribution, changelog_version, package_version)

versions

stable: 2.3.2-2

testing: 2.3.3-1

unstable: 1:3.0.3-2

versioned links

2.3.2-2: [🔗](#) [📄](#) [📦](#) [🔍](#) [📁](#)

2.3.3-1: [🔗](#) [📄](#) [📦](#) [🔍](#) [📁](#)

1:3.0.3-2: [🔗](#) [📄](#) [📦](#) [🔍](#) [📁](#)

binaries

[libmariadb-dev](#)

[libmariadb-dev-compat](#)

[libmariadb3](#)

action needed

- ✓ Marked for autoremoval on 04 July: [#880197](#), [#880726](#) high
- ✓ A new upstream version is available: [3.0.5](#) high
- ✓ lintian reports [6 errors and 7 warnings](#) high
- ✓ [1 bug](#) tagged patch in the [BTS](#) normal
- ✓ [9 new commits](#) since last upload, time to release an update? normal

testing migrations

This package is part of the ongoing testing transition known as [auto-mariadb-connector-c](#). Please avoid uploads unrelated to this transition, they would likely delay it and require supplementary work from the release managers. On the other hand, if your package has problems preventing it to migrate to testing, please fix them as soon as possible. You can probably find supplementary information in the [debian-release archives](#) or in the corresponding [release.debian.org](#) [bug](#).

excuses:

- Too young, only 1 of 5 days old
- Piuparts tested OK - <https://piuparts.debian.org/sid/source/m/mariadb-connector-c.html>
- Not considered

news

[2018-06-24] [Accepted mariadb-connector-c 1:3.0.3-2 \(source\) into unstable](#) (Otto Kekäläinen)

[2018-01-21] [Accepted mariadb-connector-c 3.0.3-1 \(source\) into unstable](#) (Otto Kekäläinen)

[2017-06-20] [mariadb-connector-c 2.3.3-1 MIGRATED to testing](#) (Debian testing watch)

[2017-06-05] [Accepted mariadb-connector-c 2.3.3-1 \(source amd64\) into unstable](#) (Otto Kekäläinen)

bugs

all:	11
RC:	3
I&N:	8
M&W:	0
F&P:	0

links

[homepage](#)

[lintian](#) (6, 7)

build: [logs](#), [clang](#), [reproducibility](#)

[popcon](#)

[browse source code](#)

[edit tags](#)

ubuntu

version: 1:3.0.3-2

[1 bug](#)



lintian.debian.org

mariadb-connector-c (1:3.0.3-2) – [Info](#) [Package Tracker](#) [Bugs](#) [Source](#) [Short report](#) (up-to-date, last processed by Lintian/2.5.91)

I [debian-watch-uses-insecure-uri](#)

- [ftp://ftp.osuosl.org/pub/mariadb/connector-c-\(.*\)/mariadb-connector-c-\(.*\)-src\.tar\.\(?:xz|bz2|gz\)](#)

W [dependency-is-not-multi-archified](#)

- libmariadb-dev-compat depends on libmariadb-dev (multi-arch: no)
- libmariadb-dev-compat depends on libmariadb-dev (multi-arch: no)
- libmariadb-dev-compat depends on libmariadb-dev (multi-arch: no)
- libmariadb-dev-compat depends on libmariadb-dev (multi-arch: no)

P [package-does-not-install-examples](#)

- examples/

I [testsuite-autopkgtest-missing](#)

libmariadb-dev

X [development-package-ships-elf-binary-in-path](#)

- usr/bin/mariadb_config
- usr/bin/mariadb_config

E [epoch-changed-but-upstream-version-did-not-go-backwards](#)

- 3.0.3 >= 3.0.3
- 3.0.3 >= 3.0.3

I [hardening-no-bindnow](#)

- usr/bin/mariadb_config
- usr/bin/mariadb_config

P [no-upstream-changelog](#)

libmariadb-dev-compat

E [epoch-changed-but-upstream-version-did-not-go-backwards](#)

- 3.0.3 >= 3.0.3
- 3.0.3 >= 3.0.3

P [no-upstream-changelog](#)

libmariadb3

X [binary-file-built-without-LFS-support](#)

- usr/lib/i386-linux-gnu/libmariadb.so.3
- usr/lib/i386-linux-gnu/mariadb/plugin/dialog.so



buildd.debian.org

Architecture	Version	Status	For	Build	State	Section	Logs
<i>all is not present in the architecture list set by the maintainer</i>							
amd64	1:3.0.3-2	Installed	1d 18h 57m	binet		misc	old all (1)
arm64	1:3.0.3-2	Installed	1d 18h 35m	arm-conova-02		misc	old all (1)
armel	1:3.0.3-2	Installed	1d 17h 56m	henze		misc	old all (1)
armhf	1:3.0.3-2	Installed	1d 18h 33m	henze		misc	old all (1)
i386	1:3.0.3-2	Installed	1d 18h 56m	x86-csail-01		misc	old all (1)
mips	1:3.0.3-2	Installed	1d 18h 36m	mips-aql-04		misc	old all (1)
mips64el	1:3.0.3-2	Installed	1d 18h 37m	mipsel-aql-03		misc	old all (1)
mipsel	1:3.0.3-2	Installed	1d 18h 33m	mipsel-manda-03		misc	old all (1)
ppc64el	1:3.0.3-2	Installed	1d 18h 33m	ppc64el-osuosl-01		misc	old all (1)
s390x	1:3.0.3-2	Installed	1d 18h 58m	zandonai		misc	old all (1)
alpha	1:3.0.3-2	Installed	1d 18h 48m	electro		misc	old all (1)
hppa	1:3.0.3-2	BD-Uninstallable	1d 19h 41m		out-of-date	misc	old no log
hurd-i386 ↓	1:3.0.3-2	Failed	1d 19h 2m	ironforge	out-of-date	misc	old all (1)
ia64	1:3.0.3-2	BD-Uninstallable	1d 19h 42m		out-of-date	misc	old no log
kfreebsd-amd64	1:3.0.3-2	BD-Uninstallable	1d 19h 50m		out-of-date	misc	old no log
kfreebsd-i386	1:3.0.3-2	BD-Uninstallable	1d 19h 51m		out-of-date	misc	old no log
m68k	1:3.0.3-2	Installed	1d 17h 41m	vs92		misc	old all (1)
powerpc	1:3.0.3-2	Installed	1d 18h 56m	powerpc-osuosl-01		misc	old all (1)
powerpcspe	1:3.0.3-2	Installed	1d 18h 46m	turris01		misc	old all (1)
ppc64	1:3.0.3-2	Installed	1d 19h 5m	kapitsa2		misc	old all (1)
riscv64	1:3.0.3-2	Installed	1d 18h 45m	rv-mit-03		misc	old all (1)
sh4	1:3.0.3-2	Installed	1d 18h 46m	vs94		misc	old all (1)
sparc64	1:3.0.3-2	Installed	1d 18h 46m	nvg5120		misc	old all (1)
x32	1:3.0.3-2	Installed	1d 19h 5m	x32-do-01		misc	old all (1)



Also: Launchpad.net for Ubuntu

**Ubuntu**
mariadb-connector-c package

Overview Code Bugs Blueprints Translations Answers

mariadb-connector-c 1:3.0.3-2 source pack

Changelog

mariadb-connector-c (1:3.0.3-2) unstable; urgency=medium

[Pirate Praveen]
* Add epoch to fix "mariadb-connector-c: ships libmariadb3 version 3.0.3-1, which is lower than the one in mariadb-10.[23]" (Closes: #888095)

[Otto Kekäläinen]
* Add upstream signing key
* Replace all instances of Priority: extra with Priority: optional
* Use secure https in all urls

-- Otto Kekäläinen <otto@debian.org> Sun, 24 Jun 2018 22:18:30 +0300

Upload details

Uploaded by:
Debian MySQL Maintainers on 2018-06-25

Uploaded to:
Sid

Original maintainer:
Debian MySQL Maintainers

Architectures:
any

Urgency:
Medium Urgency

Publishing

Series	Pocket
Cosmic	release

Builds

Cosmic:  amd64  arm64  armhf  i386  ppc64el  s390x

**Ubuntu**
mariadb-connector-c package

Overview Code Bugs Blueprints Translations Answers

Publishing history of mariadb-connector-c package in Ubuntu

1 → 19 of 19 results

Date	Status	Target	Pocket	Component	Section	Version
2018-06-25 04:03:12 EEST	Published	Cosmic	release	universe	misc	1:3.0.3-2
	Deleted	Cosmic	proposed	universe	misc	1:3.0.3-2
2018-06-25 04:03:18 EEST	Superseded	Cosmic	release	universe	misc	3.0.3-1build1
2018-02-13 18:24:01 EET	Published	Bionic	release	universe	misc	3.0.3-1build1
	Deleted	Bionic	proposed	universe	misc	3.0.3-1build1
2018-02-05 20:12:37 EET	Superseded	Bionic	proposed	universe	misc	3.0.3-1
2018-02-13 18:25:28 EET	Superseded	Bionic	release	universe	misc	2.3.3-1
2017-06-06 09:03:15 EEST	Published	Artful	release	universe	misc	2.3.3-1
	Deleted	Artful	proposed	universe	misc	2.3.3-1
2017-06-06 09:03:20 EEST	Superseded	Artful	release	universe	misc	2.3.2-2
2018-06-22 07:55:56 EEST	Obsolete	Zesty	release	universe	misc	2.3.2-2
2018-06-22 15:10:09 EEST	Deleted	Zesty	proposed	universe	misc	2.3.2-2
2017-01-22 13:14:15 EET	Superseded	Zesty	proposed	universe	misc	2.3.2-1
2017-01-22 14:48:59 EET	Superseded	Zesty	release	universe	misc	2.3.1-1
2017-01-23 20:10:11 EET	Deleted	Zesty	proposed	universe	misc	2.3.1-1
2016-11-11 07:58:26 EET	Superseded	Zesty	release	universe	misc	2.3.0-2
2018-01-23 02:52:03 EET	Obsolete	Yakkety	release	universe	misc	2.3.0-2
2018-01-23 08:10:09 EET	Deleted	Yakkety	proposed	universe	misc	2.3.0-2
2016-07-15 02:56:37 EEST	Superseded	Yakkety	proposed	universe	misc	2.3.0-1

1 → 19 of 19 results



/srv/reproducible-results/rbuild-debian/tmp.pN9Muy5aPk/b1/mariadb-connector-c_3.0.3-2_i386.changes vs. 225 KB	
/srv/reproducible-results/rbuild-debian/tmp.pN9Muy5aPk/b2/mariadb-connector-c_3.0.3-2_i386.changes	
Files	759 B
Offset 1, 6 lines modified	Offset 1, 6 lines modified
1 .166fb6e6db113a8f29222cfac26de2a7.4916.libdevel-optional.libmariadb-dev-compat.3.0.3-2.i386.deb	1 .166fb6e6db113a8f29222cfac26de2a7.4916.libdevel-optional.libmariadb-dev-compat.3.0.3-2.i386.deb
2 .50843c1d47d077b8b9e2c30368f8635a.4760.debug-optional.libmariadb-dev-dbgSYM.3.0.3-2.i386.deb	2 .50843c1d47d077b8b9e2c30368f8635a.4760.debug-optional.libmariadb-dev-dbgSYM.3.0.3-2.i386.deb
3 .398916b4e30618d1fb9aa92cd97ae902.151152.libdevel.optional.libmariadb-dev.3.0.3-2.i386.deb	3 .fb8db0769813472858ed739b4cd95523.150952.libdevel.optional.libmariadb-dev.3.0.3-2.i386.deb
4 .8968c30d5ebc762871ee699e7c53113a.347172.debug-optional.libmariadb3-dbgSYM.3.0.3-2.i386.deb	4 .1c7d67712d936eab04a07dffa97f40ab.347232.debug-optional.libmariadb3-dbgSYM.3.0.3-2.i386.deb
5 .5226acd7dab9854efcc8472b902722ab.109280.libs-optional.libmariadb3.3.0.3-2.i386.deb	5 .f052154db1cf7b0bef76b2e69aef0860.109300.libs-optional.libmariadb3.3.0.3-2.i386.deb
libmariadb-dev_3.0.3-2_i386.deb	27.5 KB
file list	367 B
Offset 1, 3 lines modified	Offset 1, 3 lines modified
1 -rw-r--r-- 0 debian-binary 4 2018-06-24 19:18:30.000000	1 -rw-r--r-- 0 debian-binary 4 2018-06-24 19:18:30.000000
2 -rw-r--r-- 0 control.tar.xz 1472 2018-06-24 19:18:30.000000	2 -rw-r--r-- 0 control.tar.xz 1472 2018-06-24 19:18:30.000000
3 -rw-r--r-- 0 data.tar.xz 149488 2018-06-24 19:18:30.000000	3 -rw-r--r-- 0 data.tar.xz 149288 2018-06-24 19:18:30.000000
control.tar.xz	98.0 B
control.tar	70.0 B
./md5sums	48.0 B
./md5sums Files differ	30.0 B
data.tar.xz	26.9 KB
data.tar	26.9 KB
file list	1.94 KB
Offset 10, 15 lines modified	Offset 10, 15 lines modified
10 -rw-r--r-- 0 root (0) root (0) 4253 2018-01-17 11:43:58.000000 ./usr/include/mariadb/ma_tls.h	10 -rw-r--r-- 0 root (0) root (0) 4253 2018-01-17 11:43:58.000000 ./usr/include/mariadb/ma_tls.h
11 drwxr-xr-x 0 root (0) root (0)	11 drwxr-xr-x 0 root (0) root (0)



piuparts.debian.org



POLICY IS YOUR FRIEND. TRUST THE POLICY. LOVE THE POLICY. OBEY THE POLICY.

General information

[About + News](#)

[Overview](#)

[FAQ](#)

[Source](#)

[piuparts.d.o bugs](#)

[piuparts bugs / ToDo](#)

[Contact us](#)

Documentation

[piuparts manpage](#)

[README](#)

[README_server](#)

[piuparts.d.o configuration:
piuparts.conf,
distros.conf
and scripts](#)

[How to file bugs](#)

[Debian policy](#)

Available reports

[Bugs filed](#)

[experimental](#)

[sid2experimental](#)

[sid](#)

[sid-strict](#)

[sid-nodoc](#)

[testing2sid](#)

[stable2sid](#)

[stable22sid](#)

[buster](#)

mariadb-10.1 in sid

Source: [mariadb-10.1](#)

**piuparts
summary:** 

Version: 1:10.1.29-6

Maintainer: [Debian MySQL Maintainers <pkg-mysql-maint@lists.aliases.debian.org>](#)

Uploaders: [Otto Kekäläinen <otto@debian.org>](#), [Arnaud Fontaine <arnau@debian.org>](#), [Ondřej Surý <ondrej@debian.org>](#)

Binary: libmariadbclient-dev

**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1

Binary: libmariadbclient-dev-compat

**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1

Binary: libmariadbclient18

**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1

Binary: libmariadbdev

**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1

Binary: libmariadb18

**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1

Binary: mariadb-client:all

**piuparts-
result:** [successfully-tested
1:10.1.29-6](#)

Version: 1:10.1.29-6

Binary: mariadb-client-10.1

**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1

Binary: mariadb-client-core-10.1

**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1

Binary: mariadb-common:all

**piuparts-
result:** [successfully-tested
1:10.1.29-6](#)

Version: 1:10.1.29-6

Binary: mariadb-plugin-connect

**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1

Binary: mariadb-plugin-cracklib-
password-check

**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1

Binary: mariadb-plugin-gssapi-client

**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1

Binary: mariadb-plugin-gssapi-server


**piuparts-
result:** [successfully-tested
1:10.1.29-6+b1](#)

Version: 1:10.1.29-6+b1



ci.debian.net

1:10.1.29-6	2018-03-04 04:30:37 UTC	—	0h 1m 57s		debci log	test log	artifacts
1:10.1.29-6	2018-03-03 17:13:51 UTC	—	0h 4m 6s		debci log	test log	artifacts
1:10.1.29-6	2018-02-25 10:39:56 UTC	—	0h 9m 45s		debci log	test log	artifacts
1:10.1.29-6	2018-02-19 03:59:50 UTC	—	0h 10m 0s		debci log	test log	artifacts
1:10.1.29-6	2018-02-18 20:00:29 UTC	—	0h 10m 1s		debci log	test log	artifacts



MariaDB and MySQL Packaging Team > mariadb-10.1 > **Repository**

master mariadb-10.1 / debian / tests

History

Find file



d/t/upstream: skip func_regexp_pcre on s390x
Christian Ehrhardt authored 8 months ago

34222e24



Name	Last commit	Last update
..		
control	Update strings 10.0 -> 10.1 after importing 10.1.20	1 year ago
smoke	Update strings 10.0 -> 10.1 after importing 10.1.20	1 year ago
upstream	d/t/upstream: skip func_regexp_pcre on s390x	7 months ago



Also: autopkgtest.ubuntu.com

mariadb-10.1

	zesty	artful	bionic	cosmic
amd64	✓ pass	✗ fail	✗ fail	✗ fail
arm64	✓ pass	✗ fail	✗ fail	✗ fail
armhf	✓ pass	✗ fail	✗ fail	✗ fail
i386	✓ pass	✗ fail	✗ fail	✗ fail
ppc64el	✓ pass	✗ fail	✗ fail	✗ fail
s390x	✓ pass	✗ fail	✗ fail	✗ fail



Last but not least: bugs.debian.org

Debian Bug report logs: Bugs in source package mariadb-connector-c

Maintainers for mariadb-connector-c are [Debian MySQL Maintainers <pkg-mysql-maint@lists.aliases.debian.org>](mailto:pkg-mysql-maint@lists.aliases.debian.org).

You may want to refer to the following individual bug pages: [libmariadb-dev](#), [libmariadb-dev-compat](#), [libmariadb2](#), [libmariadb3](#).

You might like to refer to the [mariadb-connector-c package page](#), or to the [Package Tracking System](#).

If you find a bug not listed here, please [report it](#).

- [Outstanding bugs -- Serious \(policy violations or makes package unfit for release\); Patch Available](#) (1 bug)
- [Outstanding bugs -- Serious \(policy violations or makes package unfit for release\); Unclassified](#) (2 bugs)
- [Outstanding bugs -- Important bugs; Unclassified](#) (5 bugs)
- [Outstanding bugs -- Normal bugs; Unclassified](#) (3 bugs)
- [Resolved bugs -- Serious \(policy violations or makes package unfit for release\)](#) (1 bug)

Outstanding bugs -- Serious (policy violations or makes package unfit for release); Patch Available (1 bug)

- [#880197](#) [S][+] [src:mariadb-connector-c] [mariadb-connector-c: Disable internal Dbug support as a source of crashes](#)

Outstanding bugs -- Serious (policy violations or makes package unfit for release); Unclassified (2 bugs)

- [#880726](#) [S][★] [libmariadb-dev] [libmariadb-dev: fails to install - missing replace](#)
- [#881073](#) [S][★] [libmariadb-dev] [libmariadb-dev: mariadb_config always returns the help text](#)

Outstanding bugs -- Important bugs; Unclassified (5 bugs)


- [#868131](#) [i][_] [libmariadb-dev-compat] [libmariadb-dev-compat: symlinks for static libraries point to shared objects](#)
- [#877845](#) [i][_] [libmariadb-dev-compat] [libmariadb-dev-compat: Cannot install static libmysqlclient with libmysql++-dev](#)
- [#878039](#) [i][_] [libmariadb-dev-compat] [libmariadb-dev-compat: Static library symlinked to dynamic one, compile error](#)
- [#880390](#) [i][_] [libmariadb-dev] [libmariadb-dev: File conflict in Multi-Arch: same package](#)
- [#888392](#) [i][u] [src:mariadb-connector-c] [mariadb-connector-c: FTBFS on non-Linux: version script unused](#)

Outstanding bugs -- Normal bugs; Unclassified (3 bugs)

- [#877622](#) [n][_] [libmariadb-dev] [libmariadb-dev: New upstream release 3.0.2](#)
- [#890962](#) [n][_] [libmariadb-dev] [libmariadb-dev: Cannot run mysql_config & mariadb_config when dpkg-dev isn't installed](#)
- [#890966](#) [n][_] [libmariadb-dev] [libmariadb-dev: mysql_config doesn't accept arguments](#)



MariaDB in Debian





Also: launchpad.net



Ubuntu mariadb-10.1 package

Overview Code **Bugs** Blueprints Translations Answers

			Search Advanced search
1 → 13 of 13 results		First • Previous • Next • Last	
Order by:		Importance	Status Number Title Package/Project/Series name Heat
CRITICAL	NEW	#1757107 Security update 10.1.30-0ubuntu0.17.10.1 regresses smoke test, mariadb not started upon install	
		mariadb-10.1 (Ubuntu) 260	
MEDIUM	NEW	#1751920 USN-3537-2: partially applies to MariaDB too	
		mariadb-10.1 (Ubuntu) 256	
UNDECIDED	CONFIRMED	#1574458 Logs.var.log.mysql.error.log.txt contains usernames and passwords	
		mariadb-10.1 (Ubuntu) 264	
UNDECIDED	CONFIRMED	#1654575 mysqld can end up listening on public interfaces by "default"	
		mariadb-10.1 (Ubuntu) 412	
UNDECIDED	CONFIRMED	#1683229 package mariadb-server-10.1 failed to install since mysql-server-5.7 isn't purged	
		mariadb-10.1 (Ubuntu) 28	
UNDECIDED	NEW	#1711949 New release 10.2.8	
		mariadb-10.1 (Ubuntu) 6	
UNDECIDED	FIX COMMITTED	#1723947 Current upload for 10.1.28-1 fails dep8 unittest on s390x	
		mariadb-10.1 (Ubuntu) 10	
UNDECIDED	INCOMPLETE	#1757943 package mariadb-server-10.1 (not installed) failed to install/upgrade: new mariadb-server-10.1 package pre-installation script subprocess returned error exit status 1	
		mariadb-10.1 (Ubuntu) 10	
UNDECIDED	NEW	#1770928 package mariadb-server-10.1 1:10.1.29-6 failed to install/upgrade: new mariadb-server-10.1 package pre-installation script subprocess returned error exit status 1	
		mariadb-10.1 (Ubuntu) 6	

Otto Kekäläinen (otto) • [Log Out](#)

[Report a bug](#) ➔

[Ask a question](#) ➔

[Subscribe to bug mail](#)

[Edit bug mail](#)

6 New bugs
13 Open bugs
0 In-progress bugs
1 Critical bug
0 High importance bugs

1 Bug assigned to me
1 Bug reported by me
Bugs affecting me

Bugs fixed elsewhere
1 Bug with a patch
2 Open CVE bugs

"mariadb-10.1" versions published in Ubuntu

Cosmic-proposed (1:10.1.29-6build1): universe/misc

Cosmic (1:10.1.29-6): universe/misc

Bionic (1:10.1.29-6): universe/misc

Artful-updates (10.1.30-0ubuntu0.17.10.1): universe/misc

Artful-security (10.1.30-0ubuntu0.17.10.1): universe/misc

Artful (10.1.29-6): universe/misc



Where are we now?

Source Name	Bugs		Version					Ubuntu	VCS	Builddd	Lintian	Deb check	Plu parts	CI Rep	Popcon	Watch
	All	RC	oldstable	stable	testing	unstable	exp				E+W					
galera-3* PTS Pool	3	-	-	25.3.19-2	25.3.23-1	-	-	25.3.20-1 2 bugs	Git ✓		0+8	-	-	MA FTBFS	17719	25.3.23
mariadb-10.0* PTS Pool	7	4	10.0.32-0+deb8u1	-	-	-	-	-	-	Builddd Logs	-	-	-	-	36496	-
mariadb-10.1* PTS Pool	53 (54)	3	-	10.1.26-0+deb9u1	1:10.1.29-6	-	-	1:10.1.29-6 13 bugs (1 patch)	Git 10.1.30-0+deb9u1 WARN		0+22	S U	-	fail FTBFS	66710	10.1.34
mariadb-10.3* PTS Pool	7	3	-	-	-	10.3.0-0+exp2	-	-	Git ERROR		4+35	-	F	-	36496	10.3.7
mariadb-client-kglib* PTS Pool	-	-	2.0.0-1	-	-	-	-	-	-	Builddd Logs	-	-	-	-	672	-
mariadb-connector-c* PTS Pool	11	3	-	2.3.2-2	2.3.3-1 Excuse AUTORM	1:3.0.3-2	-	1:3.0.3-2 1 bug	Git 3.0.3-1+9		0+7	-	F	- (FTBR)	672	3.0.5
mylvmbackup* PTS Pool	8	-	0.15-1	0.15-1.1	-	-	-	0.15-1.1 2 bugs (1 patch)	Svn ERROR	1x✓	1+5	I U	-	- FTBR	194	-
mysql-5.5* PTS Pool	8	-	5.5.60-0+deb8u1	-	-	-	-	-	-	Builddd Logs	-	-	-	-	121097	-
mysql-5.7* PTS Pool	128 (142)	1	-	Excuse	5.7.22-1	-	-	5.7.22-0u18.04.1 84 bugs (1 patch)	Git ✓ WARN		2+93	U	-	✓ (-)	34397	5.7.22
mysql-connector-c++* PTS Pool	1 (2)	-	1.1.3-6	1.1.7-4	1.1.9-1	-	-	1.1.9-1 1 bug	Git ERROR	24x✓	0+3	-	-	MA ✓	3377	1.1.11
mysql-defaults* PTS Pool	8 (13)	-	-	1.0.2	1.0.4	-	-	1.0.4 2 bugs	Git 1.0.5 WARN	25x✓	0+4	-	-	✓	121097	-
mysql-proxy* PTS Pool	-	-	0.8.1-1.1	-	-	-	-	-	-	Builddd Logs	-	-	-	-	92	-
percona-xtrabackup* PTS Pool	6	4	2.2.3-2.1	Excuse	2.2.3-2.1	-	-	2.4.9-0u2 3 bugs	-		5+13330	U	-	- (-)	327	-

<https://qa.debian.org/developer.php?email=pkg-mysql-maint%40lists.aliases.debian.org>



Please help:

26 patches in
salsa.debian.org/mariadb-team/mariadb-10.1/tree/stretch/debian/patches

21 patches (mostly same) in
jira.mariadb.org/browse/MDEV-14900